L Number	Hits	Search Text	DB	Time stamp
13	2433		USPAT;	2004/03/12 13:38
13	2433	711/144.ccls. or 711/145.ccls. or	US-PGPUB;	2001,03,12 13.30
		711/159.ccls. or 711/207.ccls.	EPO; JPO;	
		,	DERWENT;	-
			IBM TDB	
14	3797	709/250.ccls. or 370/465.ccls. or	USPAT;	2004/03/12 13:38
		710/305-306.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1.5	67163	/addmana() /	IBM_TDB USPAT:	2004/03/12 14 04
15	67163	(address\$3 near5 (translat\$3 or convert\$3 or conversion or map\$4)) or tlb or atu or	US-PGPUB;	2004/03/12 14:04
		(translation near3 buffer)	EPO; JPO;	
		(Classification models Saller)	DERWENT;	
			IBM TDB	
16	1117	710/62-63.ccls. or 710/72.ccls. or	USPAT;	2004/03/12 14:06
		710/312.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
17	1318798	interfac\$3 or bridge or adaptor or adapter	USPAT;	2004/03/12 14:07
			US-PGPUB; EPO; JPO;	
			DERWENT;	
		,	IBM TDB	
18	17200	(flush\$3 or discard\$3) same (bit or flag)	USPAT;	2004/03/12 14:08
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
19	4	, ,	USPAT;	2004/03/12 14:17
1		or conversion or map\$4)) or tlb or atu or	US-PGPUB;	
		(translation near3 buffer)) same	EPO; JPO;	
1		<pre>(interfac\$3 or bridge or adaptor or adapter) same ((flush\$3 or discard\$3) same (bit or</pre>	DERWENT; IBM TDB	
		flag)) same (protection or (read near2	IDM_IDB	
		only))		
20	10310	(interfac\$3 or bridge or adaptor or adapter	USPAT;	2004/03/12 14:16
) same ((address\$3 near5 (translat\$3 or	US-PGPUB;	
		convert\$3 or conversion or map\$4)) or tlb or	EPO; JPO;	
		atu or (translation near3 buffer))	DERWENT;	
21	4.1	/	IBM_TDB	0004/00/10 14 15
21	41	<pre>(interfac\$3 or bridge or adaptor or adapter) same ((address\$3 near5 (translat\$3 or</pre>	USPAT; US-PGPUB;	2004/03/12 14:16
		convert\$3 or conversion or map\$4)) or tlb or	EPO; JPO;	
		atu or (translation near3 buffer)) same	DERWENT;	
		((flush\$3 or discard\$3) same (bit or flag))	IBM TDB	
22	26	((interfac\$3 or bridge or adaptor or	USPAT;	2004/03/12 14:33
		adapter) same ((address\$3 near5 (translat\$3	US-PGPUB;	
		or convert\$3 or conversion or map\$4)) or tlb	EPO; JPO;	
		or atu or (translation near3 buffer)) same	DERWENT;	
		((flush\$3 or discard\$3) same (bit or flag)	IBM_TDB	
24	24)) and (protection or (read near2 only)) (((interfac\$3 or bridge or adaptor or	IIGDAT.	2004/03/12 14:33
	24	adapter) same ((address\$3 near5 (translat\$3	USPAT; US-PGPUB;	2004/03/12 14:33
		or convert\$3 or conversion or map\$4)) or tlb	EPO; JPO;	
		or atu or (translation near3 buffer)) same	DERWENT;	
		((flush\$3 or discard\$3) same (bit or flag)	IBM TDB	
)) and (protection or (read near2 only)))	-	
		and (@ad<=19991217 or @rlad<=19991217)		
25	7210		USPAT;	2004/03/12 14:32
		711/144.ccls. or 711/145.ccls. or	US-PGPUB;	·
		711/159.ccls. or 711/207.ccls.) or	EPO; JPO;	
		(709/250.ccls. or 370/465.ccls. or	DERWENT;	
		710/305-306.ccls.) or (710/62-63.ccls. or 710/72.ccls. or 710/312.ccls.)	IBM_TDB	
		1 110/12.CC18. OI /10/312.CC18./	Ι	<u></u>

26	534	((711/133.ccls. or 711/135.ccls. or 711/144.ccls. or 711/145.ccls. or 711/159.ccls. or 711/159.ccls. or 711/207.ccls.) or (709/250.ccls. or 370/465.ccls. or 710/305-306.ccls.) or (710/62-63.ccls. or 710/72.ccls. or 710/312.ccls.)) and (interfac\$3 or bridge or adaptor or adapter) and ((flush\$3 or discard\$3) same (bit or flag))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 14:33
27	265	(((711/133.ccls. or 711/135.ccls. or 711/144.ccls. or 711/145.ccls. or 711/159.ccls. or 711/159.ccls. or 711/207.ccls.) or (709/250.ccls. or 370/465.ccls. or 710/305-306.ccls.) or (710/62-63.ccls. or 710/72.ccls. or 710/312.ccls.)) and (interfac\$3 or bridge or adaptor or adapter) and ((flush\$3 or discard\$3) same (bit or flag))) and (protection or (read near2 only))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 14:34
28	198	((((711/133.ccls. or 711/135.ccls. or 711/144.ccls. or 711/145.ccls. or 711/145.ccls. or 711/159.ccls. or 711/207.ccls.) or (709/250.ccls. or 370/465.ccls. or 710/305-306.ccls.) or (710/62-63.ccls. or 710/72.ccls. or 710/312.ccls.)) and (interfac\$3 or bridge or adaptor or adapter) and ((flush\$3 or discard\$3) same (bit or flag))) and (protection or (read near2 only))) and (@ad<=19991217)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 14:34
29	126	(((((711/133.ccls. or 711/135.ccls. or 711/144.ccls. or 711/145.ccls. or 711/145.ccls. or 711/159.ccls. or 711/159.ccls. or 711/207.ccls.) or (709/250.ccls. or 370/465.ccls. or 710/305-306.ccls.) or (710/62-63.ccls. or 710/72.ccls. or 710/312.ccls.)) and (interfac\$3 or bridge or adaptor or adapter) and ((flush\$3 or discard\$3) same (bit or flag))) and (protection or (read near2 only))) and (@ad<=19991217 or @rlad<=19991217)) and ((address\$3 near5 (translat\$3 or convert\$3 or conversion or map\$4)) or tlb or atu or (translation near3 buffer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 14:34
30	50754		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/12 14:35
-	42	(((((((111/133.ccls. or 711/135.ccls. or 711/144.ccls. or 711/145.ccls. or 711/145.ccls. or 711/159.ccls. or 711/159.ccls. or 711/207.ccls.) or (709/250.ccls. or 370/465.ccls. or 710/305-306.ccls.) or (710/62-63.ccls. or 710/72.ccls. or 710/72.ccls.) and (interfac\$3 or bridge or adaptor or adapter) and ((flush\$3 or discard\$3) same (bit or flag))) and (protection or (read near2 only))) and (@ad<=19991217 or @rlad<=19991217)) and ((address\$3 near5 (translat\$3 or convert\$3 or conversion or map\$4)) or tlb or atu or (translation near3 buffer))) and ((interfac\$3 or bridge or adaptor or adapter) same (protection or (read near2 only)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 14:35

10	1 ((((select\$3 or multiplex\$3) with (wait or	USPAT;	2004/03/12 12:40
	delay\$3) with (tim\$4 or clock\$3)) and	US-PGPUB;	
	(713/400-401.ccls. or 713/500-503.ccls. or	EPO; JPO;	
	713/600-601.ccls.)) and (address\$3 same	DERWENT;	
	(((test near2 set) or (read near2 modif\$3	IBM_TDB	
	near2 write) or atomic\$5 or (condition near4	-	
	(write or stor\$3)) or rmw)))) and		
	(((lock\$3 or mutex) near2 (variable or		
	number or bit or byte or flag or value or		
	code)) with ((shar\$3 or common or "same")		
	<pre>near2 (memory or resource or storage)))</pre>		